Vaccine Administration Record for Adults

Patient name: _	
Birthdate:	
Chart number:	

Before administering any vaccines, give the patient copies of all pertinent Vaccine Information Statements (VISs) and make sure he/she understands the risks and benefits of the vaccine(s). Update the patient's personal record card or provide a new one whenever you administer vaccine.

Vaccine	Type of Vaccine¹ (generic abbreviation)	Date given (mo/day/yr)	Source (F,S,P) ²	Site ³	Vaccine	Vaccine		Vaccine Information Statement	
					Lot #	Mfr.	Date on VIS ⁴	Date given ⁴	initials of vaccinator
Tetanus, Diphtheria, (Pertussis) (e.g., Td, Tdap) Give IM.									
Hepatitis A ⁵ (e.g., HepA, HepA-HepB) Give IM.									
Hepatitis B ⁵ (e.g., HepB, HepA-HepB) Give IM.									
Human Papillomavirus (HPV) Give IM.									
Measles, Mumps, Rubella (MMR) Give SC.									
Varicella (Var) Give SC.									
Pneumococcal, polysaccharide (PPV) Give SC or IM.									
Meningococcal (e.g., MCV4, conjugate; MPSV4, polysaccharide) Give MCV4 IM. Give MPSV4 SC.									
Zoster (Zos) Give SC.									
Influenza (e.g., TIV, inactivated; LAIV, live, attenuated)									
Give TIV IM. Give LAIV IN.									
Other									
Other									

- 1. Record the generic abbreviation for the type of vaccine given (e.g., PPV, HepA-HepB), not the trade name.
- 2. Record the source of the vaccine given as either F (Federally-supported), S (State-supported), or P (supported by Private insurance or other Private funds).
- 3. Record the site where vaccine was administered as either RA (Right Arm), LA (Left Arm), RT (Right Thigh), LT (Left Thigh), IN (Intranasal).
- 4. Record the publication date of each VIS as well as the date it is given to the
- 5. For combination vaccines, fill in a row for each separate antigen in the

combination.

Vaccine Administration Record for Adults

Patient name: Mohammed Sharik

Birthdate: April 15, 1978

Chart number: <u>06-132543</u>

Before administering any vaccines, give the patient copies of all pertinent Vaccine Information Statements (VISs) and make sure he/she understands the risks and benefits of the vaccine(s). Update the patient's personal record card or provide a new one whenever you administer vaccine.

Tetanus, Diphtheria, (Pertussis) (e.g., Td, Tdap) Give IM. Hepatitis A ⁵ (e.g., HepA, HepA-HepB) Give IM.	Td Td Td Td	(mo/day/yr) 8/01/02 9/01/02 3/01/03	(F,S,P) ²	LA	Lot #	Mfr.	Date on VIS4	Data circant	
Diphtheria, (Pertussis) (e.g., Td, Tdap) Give IM. Hepatitis A ⁵ (e.g., HepA, HepA-HepB)	Td	9/01/02		14			Date on vis	Date given ⁴	vaccinator
(e.g., Td, Tdap) Give IM. Hepatitis A ⁵ (e.g., HepA, HepA-HepB)					И0376АА	AVP	6/10/94	8/01/02	JTA
Give IM. Hepatitis A ⁵ (e.g., HepA, HepA-HepB)	Td	3/01/03	P	LA	<i>И0376АА</i>	AVP	6/10/94	9/01/02	PWS
(e.g., HepA, HepA-HepB)		· ·	P	LA	<i>И0376АА</i>	AVP	6/10/94	3/01/03	TAA
(e.g., HepA, HepA-HepB)					1 shot, 2 different VIS dates				
	НерА-НерВ	8/01/02	P	RA	HAB239A4	GSK	8/25/98	8/01/02	JTA
	НерА-НерВ	9/01/02	P	RA	HAB239A4	GSK	8/25/98	9/01/02	TAA
	НерА-НерВ	2/01/03	P	RA	HAB239A4	GSK	8/25/98	2/01/03	TAA
Hepatitis B⁵	НерА-НерВ	8/01/02	P	RA	HAB239A4	GSK	7/11/01	8/01/02	JTA
(e.g., HepB, HepA-HepB) Give IM.	НерА-НерВ	9/01/02	P	RA	HAB239A4	GSK	7/11/01	9/01/02	TAA
	НерА-НерВ	2/01/03	₽	RA	HAB239A4	GSK	7/11/01	2/01/03	TAA
Human Papillomavirus (HPV) Give IM.									
Measles, Mumps,	MMR	8/01/02	P	RA	0025L	MRK	6/13/02	8/01/02	JTA
Rubella (MMR) Give SC.	MMR	11/01/02	P	RA	0025L	MRK	6/13/02	11/01/02	PWS
Varicella (Var) Give SC.					701				
Pneumococcal, polysaccharide (PPV) Give SC or IM.	PPV	10/01/02	P	LA	0443A	MRK	7/29/97	10/01/02	TAA
Meningococcal (e.g., MCV4, conjugate; MPSV4, polysaccharide) Give MCV4 IM. Give MPSV4 SC.	MCV4	10/9/06	P	RA	И1766АА	SPI	10/7/05	10/9/06	KKC
Zoster (Zos) Give SC.									
Influenza	TIV	10/01/02	P	RA	И088211	AVP	6/26/02	10/01/02	PWS
(e.g., TIV, inactivated; LAIV, live, attenuated)	TIV	10/10/03	P	LA	И091145	AVP	5/6/03	10/10/03	DLW
Give TIV IM. Give LAIV IN.	TIV	10/8/04	P	RA	И100461	AVP	5/24/04	10/08/04	TAA
_	TIV	10/12/05	P	LA	И101059	SPI	7/18/05	10/12/05	JTA
	TIV	10/9/06	P	LA	71211	NOV	6/30/06	10/9/06	KKC
	(This is a record for a 25-year-old healthcare worker with diabetes who is planning to travel to Saudi Arabia for the annual Hajj.)								
Other	How to record combination vaccines given to adults (i.e., HepA-HepB)								
Other			given	10 ²	aduits (i.e	., He	ом-нер	R)	<u> </u>

- 1. Record the generic abbreviation for the type of vaccine given (e.g., PPV, HepA-HepB), *not* the trade name.
- Record the source of the vaccine given as either F (Federally-supported),
 S (State-supported), or P (supported by Private insurance or other Private funds).
- 3. Record the site where vaccine was administered as either RA (Right Arm), LA (Left Arm), RT (Right Thigh), LT (Left Thigh), IN (Intranasal).
- Record the publication date of each VIS as well as the date it is given to the patient.
- For combination vaccines, fill in a row for each separate antigen in the combination.

www.immunize.org/catg.d/p2023b.pdf • Item #P2023 (9/06)

Technical content reviewed by the Centers for Disease Control and Prevention, Sept. 2006.